

# **SUPER BALL**

## **GAS LEAK DETECTOR**

## **Characteristics**

Base: Mixture of foamy compounds.

Propellant: Denatured and odourless hydrocarbon

Appearance: White foamy liquid

Temperature of application: - 10 °C / + 130 °C (approximately)

Biodegradability: Superior to 80 % Odour: Odourless

CFC free, Not toxic

# **Properties:**

- It can be used with all gases
- Gases at low pressure and low surface tension
- It reveals the micro leaks

## **Description**

SUPER BALL is the best method to find a gas leak on the pieces under pressure. Bubbles will appear on the place of the leak. It is suitable for all gases, even at low pressure (Nitrogen, anhydride carbonic, compresses air, refrigeration

Thanks to its formulation with special selected components with low surface tension it reveals the micro leaks.

#### Instructions of use

Shake well the aerosol before using. Spray the product at 10 cm distance. For professional use only.

## **Packaging**

Spray Aerosol ml 500 Box 12 Aerosol Product Code 11110/05

## **Head office and Production**

Siliconi Commerciale® SpA Via Francia 4 36053 Gambellara Vicenza – ITALY phone + 39.0444.649766 fax +39.0444.440018 e. mail: info@siliconi.it

www.siliconi.it

#### Production since 1957

The information and recommendations contained in this document is offered in good faith based on our current knowledge and belief accurate at the date of publication. Nothing herein is to be considered as a warranty, express or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information or the suitability of any products for their own particular purpose with local legislation and for obtaining the necessary certifications and authorisations. Siliconi Commerciale's sole warranty is that the products will meet its sales specification.

. The manufacturer cannot be held responsible in case of damages caused by incorrect use of the product.

® indicates a Registered TradeMarks of Siliconi Commerciale. All Rights Reserved.